



Lawn Care & Maintenance Machinery









Hurricane[™] Series

X3000, Z3000

The Billy Goat blower range has been extended with two new stand-on models. It is a great addition to the current fleet of walk behind Force™ blowers.

The brand-new Hurricane™ Series consists of two stand-on blowers that take clean-up productivity to a whole new level. Both models provide zero turn maneuverability, rapid mount/dismount, seamless operating controls and robust blowing power.

The end result is fatigue-free operation and improved productivity for busy operators.

Both new Hurricane™ Stand-On blowers have a spacious operator platform with integrated thigh padding providing excellent comfort. The stand-on feature also allows better visibility, leading to higher quality work.

Air flow is changeable from the operator control panel in three directions - left, right and front. The patented Dual Deflector Air Flow System™ on the left side allows the operator to change the angle of the air flow for deeper, more efficient cleaning of leaves and debris.

The Hurricane™ Series accelerates the clean-up task so more jobs can be completed faster and with less wear on the operator.

Features



Professional Engine
The professional Vanguard™ V-Twin
engines deliver top reliability, performance
and durability. Ideal for commercial
applications.



Quad Control Handle System™
This system offers seamless forward/
reverse direction, automatic return to
neutral, integrated operator presence
control and a self-activating parking
brake, Intuitive controls for ease of
operation.



Dual Deflector Air Flow System™
This system allows the operator to change
the angle of the air flow to enchance the
deep, more efficient cleaning of leaves
and debris. Air flow can be shut down on
all three discharges for transport.



Joystick Deflector Control
The joystick allows the operator full
control of the air flow direction, from left,
right or forward directions. Pulling back
on the joystick closes all deflectors for
transport.



LED Lights
Integrated LED lights in the operator
platform allows working and loading into
dusk, extending the work day.



Front Axle Assembly
Go over curbs or uneven terrain with
ease with the torsion-mounted front axle.
Bumps are softened, smoothing out
the ride.

Torsion Mounted



Front & Rear Tie Downs
Convenient tie-down points make
machine transport safe.



Automatic Parking Brake
The Hurricane™ blowers automatically
engage an internal parking brake any
time the operator leaves the platform.





Specifications Hurricane™ Stand-On Blowers

USE/LEVEL	PROFESSIONAL		
	Hurricane [™] Series		
Model Name	X3000CE	Z3000CE	
Model Number	5901960	5901958	

ENGINE

Engine Make
Engine Model
Performance kW [HP]
Displacement (cc)
Fuel Tank Canacity (I)

Vanguard™	Vanguard™
V-Twin Petrol	V-Twin Petrol
17,16 [23]*	26,11 [35]*
627	993
38	38

BLOWER

Transmission
Drive Train Type
Number of Speeds
Forward Speed (km/h)
Air Velocity (km/h)
Air Flow (m³/min)
Impeller Diameter (cm)
Impeller Blades
Air Discharge Locations
Air Discharge Control
Front Wheel Tyres (inch)
Rear Wheel Tyres (inch)
Parking Brake

Hydro-Gear® ZT-3100™	Hydro-Gear® ZT-3100™		
Dual Hydrostatic	Dual Hydrostatic		
Infinitely Variable	Infinitely Variable		
12,8	14,4		
266	266		
184+	241+		
48	48		
6	6		
Left, Front, Right	Left, Front, Right		
Electric Joystick	Electric Joystick		
11 x 4.00	13 x 6.50		
20 x 8.00	22 x 11.00		
Electric, Automatic Engagement	Electric, Automatic Engagement		

DIMENSIONS / WEIGHT

Weight (kg)	
Length (cm)	
Width (cm)	
Height (cm)	

338	444
152	165
107	114
137	142

^{*} Power rated by engine manufacturer.



Billy Goat EMEA

BRIGGS & STRATTON NETHERLANDS BV SCHEPERSWEG 4C, 6049 CV ROERMOND, THE NETHERLANDS

Tel: +31 (0)475 408 383 Fax: +31 (0)475 408 384

WWW.BILLYGOAT.EU

Briggs & Stratton Corporation. Copyright © 2020. 01/2020-Hurricane We reserve the right to discontinue models or change specifications without notice. No liability can be accepted for printing errors.

Yo	ur B	illy	Goat	Dea	ler
----	------	------	------	-----	-----